



Computer & Networking *products*



TV WALL MOUNTS



HDMI SPLITTERS/SWITCHES



HDMI CABLES



POWER BANKS



MOBILE ACCESSORIES



MICE AND KEYBOARDS



NETWORKING CABLES



WIRELESS REPEATERS



HDD SOLUTIONS



USB 3.0 HUBS



COMPUTER TABLES AND CHAIRS



BATTERIES

◆ Slim fixed wall mount




ICAPLB133L

Slim fixed wall mount

- TV: 32-55"
- VESA: 400x400
- Load capacity: 40 kg

◆ Slim fixed wall mount with smart locking system



ICAPLB139M

Slim fixed wall mount with smart locking system

- TV: 23-55"
- VESA: 400x400
- Load capacity: 50 kg



ICAPLB139L

Slim fixed wall mount with smart locking system

- TV: 40-65"
- VESA: 600x400
- Load capacity: 60 kg

◆ Slim fixed wall mount



Also for curved TV



ICAPLB132L

Slim fixed wall mount

- TV: 40-65"
- VESA: 600x400
- Load capacity: 60 kg

◆ Super slim fixed wall mount



ICALCD114

Super Slim fixed wall mount

- TV: 13-37"
- VESA: 200x200
- Load capacity: 35 kg


◆ Ultra-slim fixed wall mount



ICAPLB140M

Ultra-Slim fixed wall mount

- **TV:** 23-55"
- **VESA:** 400x400
- **Load capacity:** 50 kg





ICAPLB140L

Ultra-Slim fixed wall mount

- **TV:** 40-65"
- **VESA:** 600x400
- **Load capacity:** 50 kg

◆ Slim tilting wall mount



ICAPLB118S

Slim tilting wall mount

- **TV:** 23-37"
- **VESA:** 400x300
- **Load capacity:** 45 kg



ICAPLB118B

Slim tilting wall mount

- **TV:** 32-60"
- **VESA:** 600x400
- **Load capacity:** 80 kg

◆ Tilting wall mount




ICALCD113BK

Tilting wall mount

- **TV:** 17-37"
- **VESA:** 200x200
- **Load capacity:** 35 kg

◆ Tilting wall mount with locking system




ICAPLB103B

Tilting wall mount with locking system

- **TV:** 17-37"
- **VESA:** 600x400
- **Load capacity:** 80 kg

◆ Tilting wall mount




ICALCD2900B

Tilting wall mount

- **TV:** 19-37"
- **VESA:** 200x200
- **Load capacity:** 25 kg

◆ Super slim tilting wall mount



ICAPLB134M

Super slim tilting wall mount

- **TV:** 32-55"
- **VESA:** 400x400
- **Load capacity:** 35 kg

◆ Tilting wall mount




ICALCD109

Tilting wall mount

- **TV:** 13-31"
- **VESA:** 200x100
- **Load capacity:** 23 kg

◆ Tilting wall mount



ICAPLB131M

Tilting wall mount

- **TV:** 23-55"
- **VESA:** 400x400
- **Load capacity:** 60 kg



ICAPLB131L


Tilting wall mount

- **TV:** 40-65"
- **VESA:** 600x400
- **Load capacity:** 60 kg

◆ Aluminium full-motion wall mount



ICALCD2100




ICALCD2100

Full-motion wall mount without arm

- **TV:** 13-37"
- **VESA:** 200x200
- **Load capacity:** 25 kg



ICALCD2101



ICALCD2101

Full-motion wall mount with arm
(Extension 7,5-21,8 cm)

ICALCD2102

Full-motion wall mount with dual arms
(Extension 8,9-34,2 cm)

- **TV:** 13-37"
- **VESA:** 200x200
- **Load capacity:** 25 kg

◆ TV full-motion wall mount with 1 articulation




ICALCD201BK

TV full-motion wall mount with 1 articulation

- **TV:** 13-30"
- **VESA:** 75/100
- **Load capacity:** 23 kg

◆ Full-motion wall mount with steel arm




ICALCD2901



ICALCD2901

Full-motion wall mount with single arm

- **TV:** 19-37"
- **VESA:** 200x200
- **Load capacity:** 25 kg



ICALCD2903




ICALCD2903

Full-motion wall mount with dual arms

- **TV:** 19-37"
- **VESA:** 200x200
- **Load capacity:** 25 kg

◆ Full-motion wall mount with 1x triple arm and small plate




ICAPLB136M

Full-motion wall mount with 1x triple arm and small plate

- **TV:** 23-55"
- **VESA:** 400x400
- **Load capacity:** 45 kg


◆ Slim full-motion wall mount with 1x triple arm



ICAPLB171M

Slim full-motion wall mount with 1x triple arm

- **TV:** 23-55"
- **VESA:** 400 x 400
- **Load capacity:** 30 kg





ICAPLB171L

Slim full-motion wall mount with 1x triple arm

- **TV:** 40-65"
- **VESA:** 600x400
- **Load capacity:** 35 kg

◆ Slim full-motion wall mount with 2x triple arm



ICAPLB172L


Slim full-motion wall mount with 2x triple arm

- **TV:** 40-80"
- **VESA:** 600x400
- **Load capacity:** 50 kg

◆ Full-motion wall mount with 1x triple arm




Also for curved TV



ICAPLB146M

Full-motion wall mount with 1x triple arm

- **TV:** 23-55"
- **VESA:** 400x400
- **Load capacity:** 50 kg




ICAPLB146XL


Full-motion wall mount with 1x triple arm

- **TV:** 42-70"
- **VESA:** 800x400
- **Load capacity:** 50 kg

◆ Full-motion wall mount with 2x triple arm




Also for curved TV



ICAPLB147M

Full-motion wall mount with 2x triple arm

- **TV:** 23-55"
- **VESA:** 400x400
- **Load capacity:** 70 kg



ICAPLB147XL

Full-motion wall mount with 2x triple arm

- **TV:** 42-70"
- **VESA:** 800x400
- **Load capacity:** 70 kg

◆ Telescopic full-motion TV ceiling mounts



ICACPLB922S

Telescopic full-motion TV ceiling mounts for 23-42" LED/LCD panels

- **TV:** 23-42"
- **VESA:** 100x100, 200x100, 200x200
- **Load capacity:** 50 kg




ICACPLB922D

Back-to-back ceiling TV mount for 2 LED/LCD TV

- **TV:** 23-42"
- **VESA:** 100x100, 200x100, 200x200
- **Load capacity:** 45 kg x2

◆ Telescopic full-motion TV ceiling mounts



ICACPLB944S

Telescopic full-motion TV ceiling mounts for 32-55" LED/LCD panels

- **TV:** 32-55"
- **VESA:** 200x200, 400x200, 300x300, 400x400
- **Load capacity:** 50 kg




ICACPLB944D

Back-to-back ceiling TV mount for 2 LED/LCD TV

- **TV:** 32-55"
- **VESA:** 200x200, 400x200, 300x300, 400x400
- **Load capacity:** 45 kg x2

◆ Telescopic full-motion TV ceiling mounts



ICACPLB946S

Telescopic full-motion TV ceiling mounts for 37-70" LED/LCD panels

- **TV:** 37-70"
- **VESA:** 200x200, 400x200, 300x300, 400x400, 600x400
- **Load capacity:** 50 kg

◆ Telescopic full-motion TV ceiling mounts with long arm



ICACPLB946L

Telescopic full-motion TV ceiling mounts for 37-70" LED/LCD panels long arm

- **TV:** 37-70"
- **VESA:** 200x200, 400x200, 300x300, 400x400, 600x400
- **Load capacity:** 50 kg

◆ LCD/LED desk mount



ICALCD500BK

LCD/LED desk mount

- **Adjustable height:** 22.2 to 38.0 cm
- **VESA:** 75/100
- **Load capacity:** 15 kg

◆ Desk mount with gas spring



ICALCD512BK

Desk mount with gas spring black color

- **TV:** 10-27"
- **VESA:** 100x100
- **Load capacity:** 1-5 kg




ICALCD512WH

Desk mount with gas spring white color

- **TV:** 10-27"
- **VESA:** 100x100
- **Load capacity:** 1-5 kg

◆ Full-motion desk mount



ICALCD502BK

LCD/LED Full-motion desk mount with long arm

- **Adjustable height:** 28 to 43.5 cm
- **VESA:** 75/100
- **Load capacity:** 6 kg

◆ Desk mount with USB and audio ports



ICALCD513UAB

Desk mount with USB and audio ports black color

- **TV:** 10-27"
- **VESA:** 100x100
- **Load capacity:** 1-5 kg




ICALCD513UAW

Desk mount with USB and audio ports white color

- **TV:** 10-27"
- **VESA:** 100x100
- **Load capacity:** 1-5 kg

◆ Multiple desk mount with clamp



ICALCD482D

LCD/LED desk mount for 2 monitors with clamp

- **TV:** 13-27"
- **VESA:** 75 / 100
- **Load capacity:** 10 kg for each




ICALCD482Q

LCD/LED desk mount for 4 monitors with clamp

- **TV:** 13-27"
- **VESA:** 75 / 100
- **Load capacity:** 10 kg for each

◆ Multiple desk mount



ICALCD482T

LCD/LED desk mount for 3 monitors with clamp

- **TV:** 13-24"
- **VESA:** 75 / 100
- **Load capacity:** 10 kg for each

◆ Desk mount with base



ICALCD3500

Desk mount for 1 monitor with base

- **TV:** 13-27"
- **VESA:** 75 / 100
- **Load capacity:** 10 kg



ICALCD3510

Desk mount for 2 monitors with base

- **TV:** 13-24"
- **VESA:** 75 / 100
- **Load capacity:** 10 kg for each

◆ Multiple desk mount




ICALCD482S

LCD/LED desk mount for 6 monitors with clamp

- **TV:** 13-20"
- **VESA:** 75 / 100
- **Load capacity:** 10 kg for each

◆ Ceiling projector mounting bracket



ceiling 20 kg

ICAPM2S

Ceiling projector mounting bracket silver

- **Load capacity:** 20 kg
- With quick release
- Distance from ceiling: 130 mm

◆ Projector wall mounting bracket



wall 15 kg extension 35.8-57.8 cm

ICAPM103L

Projector wall mounting bracket

- **Adjustable length:** 35.8 to 57.8 cm
- **Load capacity:** 15 kg

Projector mounting bracket

◆ Professional ceiling projector mounting bracket



ceiling 15 kg extension 50-77 cm cable management

ICAPM104M

Ceiling projector mounting bracket

- **Adjustable height:** 50 to 77 cm
- **Load capacity:** 15 kg
- With cable management




ceiling 15 kg extension 110-197 cm cable management

ICAPM104XL

Ceiling projector mounting bracket

- **Adjustable height:** 110 to 197 cm
- **Load capacity:** 15 kg
- With cable management

◆ Ceiling projector mounting bracket



ceiling 13.5 kg extension 38-58 cm sloping ceiling

ICAPM18S

Ceiling projector mounting bracket silver arm

- **Adjustable height:** 38 to 58 cm
- **Load capacity:** 13.5 kg



ceiling 13.5 kg extension 54-90 cm sloping ceiling

ICAPM18M

Ceiling projector mounting bracket silver arm

- **Adjustable height:** 54 to 90 cm
- **Load capacity:** 13.5 kg

◆ Height adjustable TV cart



ICATR3

Height adjustable TV cart

- **TV:** 37-70"
- **VESA:** 400x200, 300x300, 400x400, 600x400
- **Load capacity:** 40 kg
- For landscape or portrait screen mounting
- Flexible cable covers
- Telescoping height adjustment (1200-1800 mm)
- Adjustable tempered glass shelf for AV components and accessories (420x350 mm)
- Heavy-duty casters with 2 lockable


◆ Multifunctional mobile TV cart/trolley with camera shelf



ICATR5

Multifunctional mobile TV cart/trolley with camera shelf

- **TV:** 32-60"
- **VESA:** 200X200, 400x200, 300x300, 400x400, 600x400
- **Load capacity:** 40 kg
- **Total height:** 1900 mm
- Height adjustable glass shelf (540x350 mm) and camera shelf (300x230 mm)
- Heavy-duty casters



◆ Portrait to landscape rotating mobile TV cart




ICATR4

Portrait to landscape rotating mobile TV cart

- **TV:** 37-70"
- **VESA:** 200x200, 400x200, 300x300, 400x400, 600x400, 800x400
- **Load capacity:** 40 kg
- **Height:** 1695 mm
- For landscape or portrait screen mounting
- Heavy-duty casters

◆ Mobile TV cart




ICATR6

Mobile TV cart with shelf

- **TV:** 30-65"
- **VESA:** 100X100, 200X200, 400x200, 300x300, 400x400, 600x400
- **Load capacity:** 60 kg
- **Shelf:** 485x293 mm (LxD)
- With free-moving wheels and brake

◆ Notebook table



ICATBB001N

Notebook table

- **Adjustable height:** 65-95 cm
- Wheels with brake
- With 2 separate panels,
- Main panel dimension: 47.1x41.3 cm
- Second panel dimension: 26x41.3 cm
- Top in MDF and PVC color beech and silver metal stand

◆ A/V glass shelf



ICADRS504

Tempered glass shelf for A/V devices

- **Weight supported:** 8 kg
- **Dimension:** 300x250 mm
- Wall-mount shelf for DVD / Blu-ray, STB, console gaming

◆ Universal flexible projector/laptop trolley



ICATBTPM-5

Universal flexible projector/laptop trolley

- **Adjustable height:** 70-110 cm
- Both shelves can be **tilted up to 35°**
- **Shelves size:** 30x35 cm and 40x35 cm
- With **4 casters** for maximum stability (2 lockable)
- Raised edge keeps in place your device avoiding it from sliding down



ICATBTPM-6

Universal flexible projector/laptop trolley

- **Adjustable height:** 85-110 cm
- Both shelves can be **tilted up to 35°**
- **Shelves size:** 30x35 cm and 40x35 cm
- With **4 casters** for maximum stability (2 lockable)
- Raised edge keeps in place your device avoiding it from sliding down

◆ Adjustable speaker wall mount

ICASPSS03



ICASPSS20



ICASPSS28



ICASPSS03

Adjustable wall/ceiling speaker mount

- **Weight supported:** 15 Kg
- 90° tilting and 360° rotation
- Steel security cable included

ICASPSS20

Adjustable wall/ ceiling speaker mount

- **Weight supported:** 3.5 Kg
- 90° tilting and 360° rotation

ICASPSS28

Adjustable satellite speaker wall mount

- **Weight supported:** 3.5 Kg
- Tilting 20° upwards and downwards
- 70° left or right
- Slide-in wall plate provides easy access

◆ VGA Cat.5e/6 extender 1X1 splitter with audio



IDATAEXDL344

VGA Cat.5e/6 extender 1X1 splitter with audio

- Extend VGA video and stereo audio signal max up to 300m over one UTP cable with cross stand inside
- Adjusting GAIN and PEAK to adapt for the different length of UTP cable
- Supports resolution max up to 1920x1200
- Dual output at local unit: 1 x VGA output for local site, plus 1 x UTP output for remote site
- Connections (receiver): (1) HD15 female (out), (1) RJ45 female (in), (1) 3.5 mm stereo jack (audio out), (1) power jack 5VDC
- Connections (transmitter): (1) HD15 female (out), (1) HD15 female (in), (1) RJ45 female (out), (2) 3.5 mm stereo jack (audio out), (1) power jack 5VDC

◆ VGA Cat.5E/6 extender/splitter



IDATAEXDL252

VGA Cat.5E/6 extender/splitter 4 RJ45

- Extends VGA video and stereo audio signal max 300 m over one UTP cable with cross stand inside
- Adjusting GAIN and PEAK to adapt for the different length of UTP cable
- Support resolution max up to 1920x1200
- Connections: (1) HD15 female (out), (1) HD15 female (in), (2) 3.5mm stereo ports (in/out), 4 RJ45 ports, 1 Power port 5VDC

IDATAEXDL45

Additional receiver

◆ Extender/splitter audio/video Cat.5e/6



IDATAMSVAU8B

Extender/splitter audio/video Cat.5e/6

IDATAEXDL45

Additional receiver

- Extends VGA video and stereo audio signal max up to 300m over one UTP cable with cross stand inside
- Adjusting GAIN and PEAK to adapt for the different length of UTP cable
- Supports resolution max up to 1920x1200
- Dual output at local unit: 1 x VGA output for local site, plus 8 x UTP output for remote site (Receiver sold separately, not included in the package)

◆ Matrix SVGA 4 in 4 out with audio



IDATAVGAVS404

Matrix SVGA 4 in 4 out with audio

- Splitter Matrix VGA 4 in 4 out with audio
- Connectors: 8x VGA 15pin female, 1 x RS232 female, 9x jack mini-stereo 3,5 mm
- Supports higher video resolution of 1920x1200, resolution 1080p at 60Hz
- Supports video bandwidth up to 500 MHz
- With power supply and remote control included

◆ HDMI switch with remote control



4K ULTRA HD Full HD 1080 3D ((HDCP))

IDATAHDMI31U

HDMI switch 3in/1out with remote control

- Operates up to 3.4 Gbps per channel
- Supports uncompressed audio (LPCM)
- Supports compressed audio such as DTS Digital, Dolby Digital
- Supports 3D and 4K * 2K - Resolution 24Hz bandwidth up to 340MHz
- Supports 48-bits Deep Color
- HDCP pass-through

◆ HDMI switch/splitter 4 in 2/4 out HDMI

IDATAHDMIVS44



IDATAHDMIH42A



Full HD 1080 3D ((HDCP))

IDATAHDMIVS42

HDMI switch/splitter 4 in 2 out HDMI

IDATAHDMIVS44

HDMI switch/splitter 4 in 4 out HDMI

IDATAHDMIH42A

HDMI switch/splitter Matrix 4 in 2 out HDMI with audio out

- Routes high definition video in multiple resolutions up to 1080p plus multichannel digital audio from any of the four HDMI sources to displays
- Supports highest video resolution 1080p, 3D and HDCP

◆ HDMI bidirectional switch



IDATAHDMI2BI



Full HD 1080 3D ((HDCP))

IDATAHDMI2BI

HDMI bidirectional switch 2x1

IDATAHDMI3BI

HDMI bidirectional switch 3x1

- HDMI bidirectional switch, can switch one of two or three sources to one display or switch one source to one of two or three displays
- Supports highest video resolution 1080p
- Supports 250MHz/2.5Gbps per channel (7.5Gbps all channels) bandwidth
- Supports 12bit per channel (36bit all channels) deep color
- HDCP pass-through
- Supports uncompressed audio such as LPCM
- Supports compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD)
- Supports 3D all format, including 1080p@23.98/24Hz, 720p@59.94/60Hz, bandwidth up to 250MHz

◆ HDMI switcher pigtail



IDATAHDMI21D



IDATAHDMI31D

Full HD 1080 3D ((HDCP))

IDATAHDMI21D

HDMI switcher 2X1 pigtail

IDATAHDMI31D

HDMI switcher 3X1 pigtail

- Can easily switches two/three sources to one display
- Multifunctional on switching : intelligent or mechanical
- Supports highest video resolution 1080p
- Supports 250MHz/2.5Gbps per channel (7.5Gbps all channel) bandwidth
- Supports 12bit per channel (36bit all channel) deep color
- HDCP pass-through
- Supports uncompressed audio such as LPCM
- Supports compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD)
- Support 3D all format, including 1080p@23.98/24Hz, 720p@59.94/60Hz/50Hz, bandwidth up to 250MHz

◆ Splitter HDMI 2/4 way 4K*2K

IDATAHDMI4K4



IDATAHDMI4K2



IDATAHDMI4K2

Splitter HDMI 2way 4K*2K

- Allows to display the same image on two/monitors at once
- Can extend the distance from the source of 30 m from the splitter to the monitors up to 25 m
- Supports 3D, CEC, HDCP 1.2
- Audio supported: HD, including DTS-HD Master Audio / Dolby TrueHD / LPCM 7.1 / dts / Dolby- AC3 / DSD
- Supports Ultra HD 3840 x 2160 resolution and 3D, deep color 30bit, 36bit, Blu-ray 24/50 / 60fs / xvYCC
- Supports resolution ultra-HD 4K * 2K
- Resolutions Supported HDMI: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p (50Hz, 60Hz), 1080p / 24Hz 3D, 720p / 50Hz 3D, 720p / 60Hz 3D 4Kx2K
- Maximum transmission speed: 10.2Gbs

IDATAHDMI4K4

Splitter HDMI 4way 4K*2K

◆ Splitter HDMI 4/16 way 4K*2K

HDMI-4K8



HDMI-4K16



IDATAHDMI4K8

Splitter HDMI 8way 4K*2K

IDATAHDMI4K16

Splitter HDMI 16way 4K*2K

- Simultaneously displays 1 Ultra Hi-Def source like STB, DVD, notebook, HD-Player to 8/16 Ultra HD displays simultaneously
- Supports resolutions up to Ultra HD 4K x 2K (3840 x 2160 @ 30Hz) and 1080p Full HD
- Support 3D TV pass-through
- Support HDCP v1.3
- Supports LPCM 7.1, Dolby TrueHD, Dolby Digital Plus, and DTS-HD Master Audio
- Support HDMI input/output cable 10 to 15 meters at 1080p/8-bit resolution
- Wall-mountable

◆ 2 port HDMI splitter 4K*2K



IDATAHDMI214E

Splitter HDMI 2 way 4K*2K

- Allows to display the same image on two monitors at once
- Supports full 3D, ARC, HDCP
- Supports resolution ultra-HD 4K * 2K
- Resolutions Supported HDMI: 480i, 480p, 720i, 720p, 1080i, 1080p

◆ HDMI splitter 2/4/8 way 3D



IDATAHDMI2SP

HDMI splitter 2 way

IDATAHDMI4SP


HDMI splitter 4 way

IDATAHDMI8SP

HDMI splitter 8 way

- Distributes the HDMI input signal to identical outputs simultaneously
- Supports highest video resolution 1080p
- Supports bandwidth of 165MHz / 1.65Gbps per channel, 8bit deep color for channel
- Support audio uncompressed (LPCM) and compressed
- Support 3D and HDCP

◆ Matrix HDMI extender up to 120M



IDATAHDMIMX373

MATRIX HDMI transmitter with IR

IDATAHDMIMX373R

MATRIX HDMI receiver with IR

- Distances supported: CAT5≤80m; CAT5E≤100m; CAT 6≤120m
- Supports 1080p video resolution at 50Hz, 60Hz
- With function of network management and IGMP / IGMP snooping
- Supports cascade connection

◆ Splitter / amplifier HDMI 1 in 8 out Cat. 5



IDATAHDMI8C5

Splitter / amplifier HDMI 1 in 8 out by Cat.5

- Distributes the HDMI input into eight identical outputs simultaneously; eight Receivers HDMI over
- Supports highest video resolution 1080p
- Supports bandwidth of 165MHz / 1.65Gbps per channel
- Supports 8bit deep color per channel
- Supports uncompressed audio (LPCM)

◆ Amplifier / splitter HDMI over IP network



IDATAEXTIP373

Amplifier / splitter HDMI over IP network

IDATAEXTIP373R

Additional remote unit for IDA-TAEXTIP373

- HDMI Over IP Extender transmits digital video and audio signals to one or more receivers up to 120m using Cat6 cable
The IP Extender consists in a local unit (transmitter) that connects to an HDMI source and a remote unit (receiver) that connects to an HDMI display, the local and remote units can be connected together for a Point-to-Point or Point-to-Many connection through a network switch
- HDCP compliant
- Max transmission rate: 10.2 Gbps
- Plug and Play installation
- Easy expandible: add remote units as you add monitors

◆ Amplifier / splitter HDMI over IP network with IR control



IDATAEXTIP373IR

Amplifier / splitter HDMI over IP network with IR control

IDATAEXTIP373IRRX

Additional receiver for IDATAEXTIP373IR

- Using the conversion of the HDMI signal into a signal standard TCP / IP transmit A/V signal from transmitter to receiver
- Supports HDCP 1.2
- Supports Full HD1080p, deep Color, Lip Sync and CEC
- Supported audio format: DTS-HD / Dolby True-HD / LPCM7.1 / DTS / Dolby-AC3 / DSD
- Max Transmission Speed: 10.2Gbps

◆ HDMI extender by CAT-5e/6 30m compact size



IDATAEXTE30D

HDMI extender by CAT-5e/6 30m compact size

- One pair as a full functional module, no setting required
- Transmission distance can be up to 30 meters for 1080p using UTP Cat.5E/6 cable with cross stand inside (compliant to EIA/TIA-568B standard)
- Supports highest video resolution 1080p
- Supports 165MHz/1.65Gbps per channel (4.95Gbps all channel) bandwidth
- Supports 8bit per channel (24bit all channel) deep color
- HDCP pass-through
- Supports uncompressed audio such as LPCM
- Supports compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD)

◆ HDMI extender over Cat.6 network cable



IDATAEXTE70

Extender HDMI by Cat.6 60m

- With manual adjustment of cable length to meet the best video quality
- Transmission distance Supported: 60m with Cat.6/7 copper cable
- Maximum supported video resolution: 1080p
- Bandwidth supported: 10.2Gbps
- Supports deep color 8bit
- Supports PCM stereo audio
- HDCP compliant 1.3

IDATAEXTE70I

Extender HDMI by Cat.6 60m with IR

- With automatic adjustment of cable length to meet the best video quality and IR technology support
- Transmission distance Supported: 60m with Cat.6/7 copper cable
- Maximum supported video resolution: 1080p
- Bandwidth supported: 10.2Gbps
- Supports deep color 8bit
- Supports PCM stereo audio
- HDCP compliant 1.3

◆ HDMI extender by CAT-5e/6 cable 60m



IDATAEXTE50

HDMI extender By CAT-5e/6 cable 60m

- Can reach a transmission distance of 60m at 480p or 30m at 1080p
- Supports highest video resolution 1080p; supports 165MHz/1.65Gbps per channel bandwidth; HDCP pass-through
- Supports 8bit per channel deep color
- Supports uncompressed and compressed audio
- Supports 3D all format

◆ HDMI extender by CAT-5e/6 cable 100m



IDATAEXTE60

HDMI extender over CAT. 5e/6 cable 100m

- Can reach a transmission distance of 100m at 480p or 60m at 1080p
- Auto-adjustment of feedback, equalization and amplification
- Supports HDCP and 3D all formats

◆ HDMI to AV converter



IDATASPDIF4

HDMI to AV converter

- Converts digital HDMI signal into analog composite video signal and R/L audio signal
- Supports max HDMI resolution up to 1080p
- Supports Analog composite Video output up to NTSC/480i or PAL/576i
- Supports uncompressed R/L Audio output

◆ MHL2.0 to HDMI adapter with RCP



ICOCMHLHDMI2

MHL2.0 to HDMI adapter with RCP

- Connects your Samsung Galaxy S4 to your HDTV for viewing content on larger screens
- Built-in RCP (Remote Control Protocol) function let you use the Remote Control of HDTV to operate the Samsung Galaxy S4 through HDTV's CEC function
- Connects Micro USB Female port to Computer or Power Adapter for charging and getting power using a Micro USB to USB M/M cable
- Supports all bandwidth between 25-75MHz
- Supports the highest video resolution 1920x1080p; support 3D

◆ Digital to analog audio converter



IDATASPDIF3

Digital to analog audio converter

- Converts Coaxial or Toslink digital audio signals to analog L/R audio
- Supports sampling rate at 32, 44.1, 48 and 96 KHz.
- 24-bit S/PDIF incoming bit stream on left and right channels
- Provides electromagnetic-noise-free transmission



◆ VGA/Audio to HDMI or HDMI to VGA/Audio converter



IDATACNVGA

VGA/Audio to HDMI converter



IDATAHDMIVGA

HDMI to VGA/Audio converter

- Converts PC's VGA video and R/L audio into complete HDMI (IDATA CN-VGA) or converts complete HDMI into VGA video and R/L audio output (model IDATAHDMIVGA)
- Supports highest video resolution 1280x1024 (model IDATA CN-VGA) and supports Analogue Video output up to UXGA and 1080p with 10-bit DAC (model IDATAHDMIVGA)
- Supports 165MHz/1.65Gbps per channel (6.75Gbps all channel) bandwidth
- Supports 8bit per channel (24bit all channel) deep color
- Supports HDCP 1.2 (model IDATAHDMIVGA)

◆ HDMI to VGA adapter



IDATAHDMIVGA2A

HDMI to VGA with pigtail and audio connection

IDATAHDMIVGA2AU

HDMI to VGA with pigtail and with micro USB and audio connections

- Converts digital HDMI signal into analog VGA video
- Supports 165MHz/1.65Gbps per channel (6.75Gbps all channel) bandwidth for HDMI Input
- Supports Analogue Video output up to UXGA and 1080p with 10-bit DAC

IDATAHDMIVGA2

HDMI to VGA with pigtail

◆ HDMI to analog video signal converter



ICOCHDMIVGAU

HDMI to VGA + R/L adapter

ICOCHDMIYPBU

HDMI to YPbPr + R/L adapter

- This range of adapters allows the conversion of the digital video signal into analog video signal: VGA +Audio R/L (HDMI-VGAU); composit video and audio R/L (HDMI-RCAU); YPbPr and audio R/L (HDI-YPBU)

ICOCHDMIRCAU

HDMI to CVBS adapter

◆ VGA and USB to HDMI adapter with pigtail



IDATAHDMIVGA3

VGA and USB to HDMI adapter with pigtail

- Converts PC's VGA video and USB 2CH audio into complete HDMI
- Supports common VGA video resolution
- Supports 165MHz/1.65Gbps per channel (6.75Gbps all channel) bandwidth
- Supports 8bit per channel (24bit all channel) deep color
- Power from USB Port

◆ HDMI C/D type to VGA adapter



IDATAHDMIVGA4

HDMI C type to VGA adapter

IDATAHDMIVGA5

HDMI D type to VGA adapter

- Converts HDMI into VGA video
- Supports HDCP 1.2
- Supports 165MHz/1.65Gbps per channel (6.75Gbps all channel) bandwidth for HDMI Input
- Supports Analogue Video output up to UXGA and 1080p with 10-bit DAC

◆ SVGA monitor cable



ICOCSVGAE018

Black 1,8 m

ICOCSVGAE030

Black 3 m

ICOCSVGAE045

Black 4,5 m

ICOCSVGAE075

Black 7,5 m

- 15 pin HD plug > 15 pin HD plug
- Connects SVGA source to SVGA display
- Fully shielded to reduce EMI interference for improved video transmission
- Molded PVC boot with strain relief
- 30 AWG conductors

◆ VGA splitter cable



ICOC29CMMO

Black 15 cm

- HD15 male to dual HD15 female
- Splits an SVGA connection between two monitors

◆ SVGA monitor cable

ICOCSVGAB080

Black 0,8 m

ICOCSVGAB2

Black 1,8 m

ICOCSVGAB3

Black 3 m

ICOCSVGAB5

Black 5 m

ICOCSVGAB10

Black 10 m

ICOCSVGAB15

Black 15 m

ICOCSVGAB20

Black 20 m

ICOCSVGAB30

Black 30 m



- 15 pin HD plug > 15 pin HD plug
- Connects SVGA source to SVGA display
- Fully shielded to reduce EMI interference for improved video transmission
- Molded PVC boot with strain relief
- 28 AWG conductors

◆ SVGA monitor cable with ferrite



ICOCSVGAD2

Black 1,8 m

ICOCSVGAD3

Black 3 m

ICOCSVGAD5

Black 5 m

ICOCSVGAD10

Black 10 m

ICOCSVGAD20

Black 20 m

ICOCSVGAD30

Black 30 m

- 15 pin HD plug > 15 pin HD plug
- Connects SVGA source to SVGA display
- Fully shielded to reduce EMI interference for improved video transmission
- Molded PVC boot with strain relief
- 28 AWG conductors

◆ HDMI high speed cable with ethernet black

ICOCHDMI4005

Black 0,5 m

ICOCHDMI4010

Black 1 m

ICOCHDMI4020

Black 2 m

ICOCHDMI4030

Black 3 m

ICOCHDMI4050

Black 5 m

ICOCHDMI4100

Black 10 m

ICOCHDMI4150

Black 15 m

ICOCHDMI4250

Black 25 m



- HDCP compliant
- Internet via HDMI (HEC)
- Audio Return Channel (ARC)
- 3D support with resolution up to 1080p
- 4 times higher resolutions as 1080p (max. 4096x2160 at 24Hz)
- Supports more color spaces as DSC and sYCC601
- Deep Color
- x.v. Color

◆ HDMI high speed cable with ethernet white



ICOCHDMI4010WH

White 1 m

ICOCHDMI4020WH

White 2 m

ICOCHDMI4030WH

White 3 m

ICOCHDMI4050WH

White 5 m

ICOCHDMI4100WH

White 10 m



- HDCP compliant
- Internet via HDMI (HEC)
- Audio Return Channel (ARC)
- 3D support with a resolution up to 1080p
- 4 times higher resolutions as 1080p (max. 4096x2160 at 24Hz)
- Supports more color spaces as DSC and sYCC601
- Deep Color
- x.v. Color

◆ Super slim high speed HDMI with ethernet



ICOCHDMISL010W

White 1 m

ICOCHDMISL018W

White 1,8 m

ICOCHDMISL030W

White 3 m

- HDCP compliant
- Internet via HDMI (HEC)
- Audio Return Channel (ARC)
- 3D support with resolution up to 1080p
- 4 times higher resolutions as 1080p (max. 4096x2160 at 24Hz)
- Supports more color spaces as DSC and sYCC601
- Deep Color
- x.v. Color

◆ HDMI2.0 active cable with redmere chip 18Gbps



ICOCHDMIRM2010

White 1 m

ICOCHDMIRM2018

White 1,8 m

ICOCHDMIRM2030

White 3 m

- This HDMI cable adopts RedMere smart active technology, built-in PRA1700 chip, to ensure ultra high-speed and excellent audio and video transmission quality
- Compared with passive cables, the ultra-thin active cables allow for easy roll-up portability with your device
- Bandwidth: up to 18Gbps
- OD: 3.5mm

◆ High speed HDMI with ethernet extension cable



ICOCHDMIEXT010

Black 1 m

ICOCHDMIEXT018

Black 1,8 m

ICOCHDMIEXT030

Black 3 m

ICOCHDMIEXT050


Black 5 m

ICOCHDMIEXT075

Black 7,5 m

- HDMI A-plug>HDMI A-jack
- Supports HDCP, HEC, ARC
- Supports 3D with a resolution up to 1080p

◆ High speed HDMI cable with ethernet with ferrites



ICOCHDMIFR-010

Black with ferrite 1 m

ICOCHDMIFR-020

Black with ferrite 2 m

ICOCHDMIFR-030

Black with ferrite 3 m

ICOCHDMIFR-050

Black with ferrite 5 m

ICOCHDMIFR-150

Black with ferrite 15 m

- Supports: HDCP; HEC, ARC, 3D at 1080p
- Supports higher resolutions of 4096x2160 at 24Hz

◆ High speed HDMI cable with ethernet with HDMI C-plug (mini)



ICOCHDMIB015

Black 1,8 m

ICOCHDMIB025

Black 3 m

ICOCHDMIB050

Black 5 m

- HDM A-plug>HDMI C-plug (mini)
- HDCP compliant
- Supports Full HD video resolution and Deep Color
- Bandwidth up to 10.2 Gbps at 340 Mhz

◆ High speed HDMI cable with ethernet with HDMI D-plug (micro)



ICOCHDMI4AD1

Black 1 m

ICOCHDMI4AD2

Black 2 m

ICOCHDMI4AD3

Black 3 m

ICOCHDMI4AD5

Black 5 m

- HDMI A-plug>HDMI D-plug (micro)
- HDCP compliant
- Internet via HDMI (HEC)
- Audio Return Channel (ARC)
- 3D support with a resolution up to 1080p
- 4 times higher resolutions as 1080p (max. 4096x2160 at 24Hz)
- Supports more color spaces as DSC and sYCC601
- Deep Color
- x.v. Color

◆ HDMI to DVI-D audio/video cable



ICOCHDMID010

Black 1 m

ICOCHDMID018

Black 1,8 m

ICOCHDMID030

Black 3 m

ICOCHDMID045

Black 5 m

ICOCHDMID100

Black 10 m

- 19 pin HDMI-plug > DVI-D (24+1) plug
- HDTV up to 1080p

◆ DVI-D FullHD cable dual link

DVI-8105



DVI-D (Dual Link)



DVI-D (Dual Link)

ICOCDVI8105

Black 0,5 m

ICOCDVI8100

Black 1,8 m

ICOCDVI8130

Black 3 m

ICOCDVI8150

Black 5 m

ICOCDVI811C

Black 10 m

- DVI-D (24+1) plug > DVI-D (24+1) plug
- DVI cable support digital video transmission from PC to monitor
- This cable supports resolution higher than Full HD 1080p (1920 x 1080) up to WQXGA (2560 x 1600)

◆ DVI-D FullHD cable dual link with ferrite



DVI-D (Dual Link)



DVI-D (Dual Link)

ICOCDVI8100F

Black 2 m

ICOCDVI8130F

Black 3 m

ICOCDVI8150F

Black 5 m

ICOCDVI811CF

Black 10 m

ICOCDVI8115F

Black 15 m

ICOCDVI8120F

Black 20 m

- DVI-D (24+1) plug > DVI-D (24+1) plug
- DVI cable support digital video transmission from PC to monitor
- This cable supports resolution higher than Full HD 1080p (1920 x 1080) up to WQXGA (2560 x 1600)

◆ DVI-D FullHD cable single link



DVI-8000



DVI-D (Single Link)



DVI-D (Single Link)

ICOCDVI8000

Black 1,8 m

ICOCDVI8050

Black 5 m

- DVI-D (18+1) plug > DVI-D (18+1) plug
- DVI cable support digital video transmission from PC to monitor
- This cable supports resolution up to 1080p Full HD

◆ DisplayPort cable to DVI 24+1



ICOCDSPC010

Black 1 m

ICOCDSPC020

Black 2 m

ICOCDSPC030

Black 3 m

ICOCDSPC050

Black 5 m

- DisplayPort 20-pin male to DVI 24-pin + 1 male
- Fully shielded
- Connects a workstation (PC) or a notebook to a TFT display or a plasma/LCD TV

◆ DisplayPort to VGA cable



ICOCDSPV018

Black 1 m

ICOCDSPV030

Black 3 m

- Easily connect computers equipped with DisplayPort connector to VGA monitors, projectors etc.
- Provides a high-quality digital video signal - ideal for extending the life of the old devices with VGA connection
- Supports color depth, applications with high frequency band to 10.8 Gbps and resolutions up to 1080p monitor 1920 x 1200 (WUXGA)
- Plug and Play - Windows and Mac compatible

◆ DisplayPort to HDMI cable



ICOCDSPH010

Black 1 m

ICOCDSPH020

Black 2 m

ICOCDSPH030

Black 3 m

ICOCDSPH050

Black 5 m

- DisplayPort 20 pin plug > HDMI 19 pin plug
- Connects a workstation (PC) or a notebook to a TFT display or a plasma/LCD TV
- Transmits video and audio signals

◆ DisplayPort cable



ICOCDSPA010

Black 1 m

ICOCDSPA020

Black 2 m

ICOCDSPA030

Black 3 m

- DisplayPort 20-pin male to DisplayPort 20-pin male
- Provides high bandwidth, audio / visual signals between PCs and digital monitors and other devices that support the standard DisplayPort - up to 1080p resolution
- Fully shielded to reduce electromagnetic interference (EMI) and other sources of interference

◆ DisplayPort 1.2 adapter



IADAPDPDVIF2

DisplayPort 1.2 to DVI adapter 15cm

IADAPDPHDMIF2

DisplayPort 1.2 to HDMI adapter 15cm

IADAPDPCOMBOF2

DisplayPort 1.2 to HDMI/DVI/VGA adapter 15cm

ICOCDSPV001

DisplayPort 1.2 to VGA adapter 15cm

IADAPDSP230

DisplayPort 1.2 to VGA adapter compact size

- Converts for interfacing new generation DisplayPort™ based PC and notebook computers with high definition displays.

◆ HDMI adapters and splitter



IADAPHDMIF/F

HDMI adapter F/F

IADAPHDMIL

HDMI adapter M/F 90°

IADAPHDMIR

HDMI adapter M/F 90°

IADAPHDMI355

HDMI adapter M/F 180°

IADAPHDMIMC

HDMI F to HDMI mini C Male

IADAPHDMIMD

HDMI F to HDMI micro D Male

ICOCHDMIF002

HDMI Male to HDMI Female / HDMI Female, splitter cable 30 cm

- Connects an HDMI cable to another HDMI cable or display. The angled versions allow easy connections in the most inconvenient places; e.g., tight corners, difficult ports

◆ DisplayPort adapters



IADAPDSP229

DisplayPort adapter M to DVI-I 24 + 5 F

IADAPDSP212

DisplayPort adapter M to HDMI

IADAPDSP250

DisplayPort adapter M to VGA F

- Ideal for the use of a new DisplayPort source with an existing DVI/HDMI or VGA monitor

◆ DVI to VGA adapter



IADAPDVI8700

DVI-A Male to VGA Female

IADAPDVI9000

DVI-I Female to DVI-D Male

IADAPDVI9100

DVI A Female to VGA Male

- Converts DVI connection to to VGA (models DVI-8700 and 9100); conversion from DVI-I to DVI-D for model IADAP DVI-9000

◆ Mini displayport cable



ICOCMDP010

White 1 m

ICOCMDP020

White 2 m

ICOCMDP030

White 3 m

- Provides connections mini-Display Port 20-pin male (Thunderbolt) to DisplayPort 20-pin male
- Compliant with DisplayPort 1.2
- Supports 10.8 Gbps data rate and resolution 2560 x 1600 (WQXGA) and HDCP

◆ HDMI to DVI adapter



IADAPHDMI606

HDMI 19p Male to DVI-D 24+1 dual link female

IADAPDVIHDMIF

HDMI Female to DVI-D dual link male

IADAPHDMI644

HDMI 19p Female to DVI-D 24+1 dual link female

IADAPHDMI651

HDMI 19p Female to DVI-D 18+1 single link Male

- Adapt existing cables to connect to different sources and display connections. Eliminates the need to replace entire cable lengths

◆ Mini DisplayPort 1.2 (Thunderbolt) adapter



IADAPMDPDVIF12

Mini DisplayPort 1.2 to DVI adapter 15cm

IADAPMDPHDMIF12

Mini DisplayPort 1.2 to HDMI adapter 15cm

IADAPMDPVGAF2

Mini DisplayPort 1.2 to VGA adapter 15 cm

IADAPMDPCOMBOF12

Mini DisplayPort 1.2 to HDMI/DVI/VGA adapter 15cm

- Connects a source mini-DisplayPort (Thunderbolt) to a DVI/HDMI/VGA monitor, provides a single high-quality signal to a DVI/HDMI/VGA monitor ideal for MAC computer

◆ Mini DisplayPort (Thunderbolt) adapter



IADAPMDPDVIF

Mini-DisplayPort (Thunderbolt) to DVI-I

IADAPMDPHDMIF

Mini-DisplayPort (Thunderbolt) to HDMI

IADAPMDPVGAF

Mini DisplayPort (Thunderbolt) to VGA

ICOCMDPCOMBO

Mini-DisplayPort (Thunderbolt) to HDMI, DVI, DisplayPort

- Connects a source mini-DisplayPort (Thunderbolt) to a DVI/HDMI/VGA monitor, provides a single high-quality signal to a DVI/HDMI/VGA monitor ideal for MAC computer

◆ USB 3.0 Superspeed extension cable



ICOCU3AA005EX

Blue 0,5 m

ICOCU3AA20EX

Blue 2 m

ICOCU3AA10EX

Blue 1 m

ICOCU3AA30EX

Blue 3 m

- USB 3.0 Type A Male to USB 3.0 Type A Female
- Extends USB cable length
- Supports speeds up to 5 Gbps
- SuperSpeed USB for ultra-fast data transfer without any degradation of the data
- Fully shielded to reduce electromagnetic interference (EMI) and other sources of interference

◆ USB 3.0 Superspeed A/Micro B cable



ICOCMUSB3A005

Blue 0,5 m

ICOCMUSB3A020

Blue 2 m

ICOCMUSB3A010

Blue 1 m

ICOCMUSB3A030

Blue 3 m

- USB 3.0 Type A Male to USB 3.0 Micro B Male
- Connect a USB device to a SuperSpeed USB hub or computer SuperSpeed
- Supports speeds up to 5 Gbps
- SuperSpeed USB for ultra-fast data transfer without any degradation of the data
- Fully shielded to reduce electromagnetic interference (EMI) and other sources of interference

◆ HUSB 3.0 Superspeed A/Micro B cable flat version



ICOCMUSB3FL005

Blue 0,5 m

ICOCMUSB3FL010

Blue 1 m

- USB 3.0 Type A Male to Micro USB 3.0 type B male
- Version Flat
- Connects a SuperSpeed USB device to the computer
- Supports speeds up to 5 Gbps
- SuperSpeed USB for ultra-fast data transfer without any degradation of the data
- Fully shielded to reduce electromagnetic interference (EMI) and other sources of interference

◆ USB 3.0 Superspeed A Male/B Male cable



ICOCU3AB005BL

Blue 0,5 m

ICOCU3AB10BL

Blue 1 m

ICOCU3AB20BL

Blue 2 m

ICOCU3AB30BL

Blue 3 m

- USB 3.0 Type A Male to USB 3.0 type B male
- Connect a USB device to a SuperSpeed USB hub or computer SuperSpeed
- Supports speeds up to 5 Gbps
- Fully shielded electromagnetic interference (EMI) and other sources of interference

◆ USB 2.0 OTG cable



ICOCMUSBMC1

USB 2.0 A F to Micro USB OTG M / F, 30cm Black

ICOCMUSBMC2

USB 2.0 A F to Micro USB OTG M / USB A M, 30cm Black

ICOCUOTG194

USB A Female to Micro B Male 20cm Black

- Allows to connect several USB devices to mobile devices, including USB pen drive, hard drive, USB mouse, joypad, joystick
- Provides high-speed data transfer from smartphone / GPS / PDA (USB 2.0 and 1.1) to a compatible PC
- Models MUSB-MC1 with Micro USB B F and model MUSB-MC2 with USB A M for power supply

◆ USB2.0 OTG cable with storage function



ICOCU2OTGSD

USB2.0 OTG cable with storage and charging

- Multi-function cable with auto-detect function in each connecting way
- Supports Micro SD card capacity up to 128GB, USB2.0 high speed data transfer
- Supports OTG devices and PC external storage
- Supports USB data transfer and charging

◆ Lightning to USB 2.0 cable 8p 1m



ICOCAPP8BK

Black, polybag

ICOCAPP8WH

White, polybag

ICOCAPP8WHTY

White, box packaging

- Cable Lightning USB2.0 8p for charging and data synchronization; allows to connect the device with Apple Lightning connector to the computer's USB port
- Allows even charging the device by connecting to a power outlet USB Apple
- Compatible with following devices: iPhone 5 / 5C / 5S, iPad 4G, 5G iPad (Air), iPad Mini, iPod Touch and iPod Nano 5G 7G.
- Certified Apple MFI Made for iPod / iPhone / iPad

◆ Flat cable USB AM to Micro USB m 1m



ICOCMUSBAFLB

Black/White

ICOCMUSBAFLR

Pink/White

ICOCMUSBAFLW

White/Black

ICOCMUSBAFLBL

Blue/White

- USB 2.0 A Male to Micro USB Male cable in flat version
- Allow connection between portable device and PC for charge and sync devices with micro USB
- Can be connected to the USB port of the computer, or combined with an adapter 12 / 24V for use in car or an adapter 110-230V home

◆ Ultra slim USB charger



USBEC



USBECBK

IPWUSBEC

White

IPWUSBECBK

Black

- Charges mobiles and small devices from socket
- USB slim charger USB 220V > USB (1A)
- Output Voltage: DC 5,0V
- Output current: max.1000mA

◆ Foldable USB charging station



IPWUSB4PBK

Foldable USB charging station black

IPWUSB4PWH

Foldable USB charging station white

- Output DC 5V 2.5A total 12.5W, support 4 ports charging
- Power connector folds in for easy transport
- Built-in smart chip on red USB port to support iPad up to 2.4A, remaining ports support up to 1A charging
- Support fast charging and compatible with most devices

◆ USB charger



IPWUSB2A1P

1 x USB, 2A

IPWUSB2A2P

2 x USB, 2A (2x1A)

- Charges mobiles and small devices from socket
- Input Voltage: 100 – 240 V AC
- Output Voltage: DC 5,0V
- Output current: max.2000mA

◆ 3in1 USB charging kit 1A for iPhone



IPWUSBKIT

3in1 USB charging kit 1A for iPhone

- In combination of the USB cable with separate adaptors you can charge your phone at the PC via USB, on the road with the 12 V adaptor and at home or on travel with the 230 V power adaptor
- Suitable for iPhone 3G, 3Gs, 4, 4s, iPod nano(1, 2, 3, 4, 5. Gen), iPod mini (1, 2.Gen), iPod touch(1, 2.Gen), iPod classic (3, 4, 5, 6.Gen), iPod Video(30GB, 60GB, 80GB), iPod Photo (not suitable for iPod Shuffle)

◆ USB car charger



IUSB2CAR21A1P

1 x USB, 1A

IUSB2CAR22A1P

1 x USB, 2.4A

IUSB2CAR22A2P

2 x USB, 1A+2.1A

- For a quick charge in the cigarette lighter socket
- Suitable for smartphone, cameras and other devices
- Integrated protection circuit

◆ USB cable for Samsung Galaxy Tab



ISAMCABLE

Sync and charging cable for Samsung Galaxy Tab 1,2m

ISAMEXT20

OTB USB adapter for Samsung Tab, 0,2m

- Compliance with all Samsung Devices with 30p connector

◆ USB Car Charger



IUSB2CARADP

1 x USB, 1A

IUSB2CARADP21

1 x USB, 2.1A

IUSB2CARADP212

2 x USB, 2.1A

- For a quick charge in the cigarette lighter socket
- Suitable for smartphones, cameras and other devices
- Input voltage 12 - 24 V DC
- Output voltage 5 V DC

IUSB2CARADP312

2 x USB, 3.1A

IUSB2CARADP412

2 x USB, 4A

◆ Charger with micro USB connector



IPWUSBMICRO

Travel charger 1 A, black

IPWUSBMICRO2

Travel charger 2.1 A, black

IPWUSBMICRO2W

Travel charger 2.1 A, white

- Charger with Micro USB connection
- Input: 100-240V
- Output: 5V DC ; 1A (MICRO) /2.1A (MICRO2/MICRO2W)
- Length: 1,5 m



◆ Powerbank for Smartphone



ICHARGE2200TY

2200mAh, output 1A

- Lightweight and compact powerbank for charging smartphones
- Compatible with almost all mobile (iOS, Android, BlackBerry OS, Symbian...) and mobile devices
- LED light indication for charging status
- USB cable included

◆ Powerbank for Smartphone



ICHARGE4000TY

4000mAh, output 1A

ICHARGE5200TY

5200mAh, output 1A

- Compact USB Powerbank, ensures portable power anywhere, ideal for outdoor activities and travel
- Equipped with LED flashlight and LED indication for battery charging status
- Color travel battery: glossy white
- With Micro USB charging cable (30 cm)

◆ Powerbank for Smartphone and Tablet



ICHARGE6000TY

6000mAh, output 2.1A

ICHARGE10400TY

10400mAh, output 2.1A

- Compact USB Powerbank, ensures portable power anywhere, ideal for outdoor activities and travel
- Equipped with LED flashlight and LED indication for battery charging status
- Color travel battery: glossy white
- With Micro USB charging cable (30 cm)

◆ Car holder for Tablet



ITABLETCAR3

Car holder for Tablet 9-11"
mounting between two seats

- For mounting the tablet on the back of headrest between two seats
- Suitable for seat two poles distance: 500 - 660 mm
- Compatible with pole diameter: 10-14 mm

◆ Car holder for Tablet



ITABLETCAR4

Car holder for Tablet 7-10"
mounting between two seats

- For mounting the tablet on the back of headrest between two seats
- Suitable for seat two poles distance: 500 - 660 mm
- Compatible with pole diameter: 10-14 mm

◆ Universal holder for Smartphone



ISMARTVENT

Universal suction cup holder for
Smartphones

- The suction cup with locking bar firmly attaches to windshield and easily detached for re-use
- Adjustable tube allows free positioning
- Flexibly stretching holder with protective pad

◆ Car holder for Tablet with suction cup



ITABLETVENT

Car holder for Tablet 7-10.1" with
suction cup

- Suitable for tablets 7-10.1", iPad, GPS, DVD player, e-book
- Suction cup attach tablet to the windshield easily
- Flexible adjustment
- Length adjustable from 106 to 190 mm
- Thickness of the device: 10-22 mm
- Dimension of the suction cup: 93 mm
- Swivel: 360°

◆ Car holder for Tablet for headrest mount



ITABLETCAR2

Car holder for Tablet 7-10.1"
iPad, DVD-players, E-Book

- Length from 106 to 190 mm adjustable
- Distance from pole: 85-180mm
- Pole diameter: 10,5-12 mm
- Thickness of device: 10-22 mm

◆ Bluetooth 3.0 keyboard case



ICTB1001

Bluetooth 3.0 keyboard with cover for Tablet 9.7/10.1", italian layout

- Bluetooth keyboard with 78 scissor type keys
- Operating range: 10 m
- Detachable keyboard
- Protective keyboard for 9.7 up 10.1" tablets
- Compatible Android, Apple e Windows; Android layout

◆ Foldable cable selfie stick



ITRIPODSELFISM

Foldable all-in-one cable selfie stick

- Capture perfect selfies and videos everywhere at any angles
- Operation via the 3.5 mm audio cable
- Integrated camera remote control at the handle
- Supports iOS and Android devices
- Adjustable holder fit for all sizes of phones
- Extendable monopod with the range from 20 cm to 85 cm

◆ Tablet stand for wall installation



IPADWALLBK2

Wall mount bracket for tablet 8.9-10.4" plastic

- Wall mount suitable for iPad1/2/3/4 and most of 8.9"-10.4" tablets
- Low profile, only 24mm
- Retractable leg with easy-grip knob fit different sizes (leg adjustable from 26 to 64mm); angle between two legs adjustable (from 36 to 180°)
- Adjust tilting feet to firmly hold iPads and Tablets (+/-30°)

◆ Universal tripod stand



ICATBLV5

Universal tripod

- Multi-angle adjustable
- Light and portable, ideal for cellphone and tablet PC
- Special design for free bending or adjustment
- Skid-proof foot pad in soft rubber
- Allowing different angle to provide comfortable use

◆ SIM-card adaptor (3in1) with PIN



ISIM3

SIM-card adaptor (3in1) with PIN

- Set with three SIM-adaptors:
nano-SIM > micro-SIM;
nano-SIM > SIM;
micro-SIM > SIM;
Eject Pin

◆ Smartphone and console gaming tooling kit



IPHONETOOL4

Smartphone and console gaming tooling kit

- Includes the latest tips and tools used by the electronic equipment on the market
- Includes 30 tips and special tips P2, P5 and P6; 2 lifts plastic; opening Tool type plectrum; tool suction; tweezers; sim card extractor

◆ Stylus pen



ICAPDA1030

Stylus for PDA and resistive touch screen devices (3pcs)

ICAPDA1060

Stylus for PDA and resistive touch screen devices (3pcs)

ICATBLP1

Capacitive Stylus pen with rubber tip
Pen clip design for easy carry

◆ Screen protector kit



ICADCP117

for Samsung Galaxy S3

ICADCP818

for iPhone5



ICADCP880TY

for iPhone6



- PET protective film with superior quality
- Kit includes: screen protector, microfiber cloth, applicator, application guide

◆ Opening & repair kit for Smartphone



IPHONETOOL2

iPhone 5 Opening & Repair Kit

- Opening & Repair Kit with following tools:
- Pentalobe/Pentacle Star Screwdriver-0.8
- Pentalobe/Pentacle Star Screwdriver-1.2
- Phillips Screwdriver PH00

I-PHONE-TOOL3

iPhone 4/4S Opening & Repair Kit

- Plastic Prying Tools x 2
- Guitar Pick Opening Tools x 2
- Scraping plastic film
- Special tools for capacitive screens
- Phone Mounting Brackets / Screw Hole Mark

◆ USB 3.0 Hub 4/7 port



IUSB3TLY430

USB 3.0 hub 4 port silver

IUSB3TLY730

USB 3.0 hub 7 port silver with power supply included

- 4-port/7-port USB 3.0 Hub from the minimalist design style Apple and anodized aluminum body with rounded corners
- Transfer rates up to 5 Gbps, allows quick synchronization, leaving more time to work and play
- Compatible XP / Vista / 7/8, Mac OS and Linux

◆ USB 3.0 Hub 4 port



IUSB3HUB4WH

USB 3.0 Hub 4 port white

- Transfer rate can be Super Speed (5Gbps), High Speeds (480 Mbps) or Full Speed (12 Mbps)
- With USB cable included (80 cm)

◆ Notebook accessories: usb fan and led light



IUSBLIGHT10

USB flexible lamp 10 led dimmable for notebook, silver

- Lightweight and compact LED light useful to illuminate the keyboard of a laptop, a tablet or documents in a dark room
- The flexible arm allows you to adjust the lamp to get the ideal placement
- Lamp with 10 LED high brightness white (UHB)



IUSBFAN3

USB fan for notebook with 5 coloured led

- USB fan with safe flexible palette and with 5 colored LEDs for pleasant 64 different color effects
- Powered via the USB port of your notebook or tablet, no external power required
- The flexible arm allows to adjust the position of the cooling fan to direct the air flow in the desired direction

◆ Notebook power supply



IPWNTS75WE

Notebook power supply 72W 5A

- Power supply for notebook 72W universal adjustable
- Adapters included
- Input: AC 110-240V 50/60 Hz
- With voltage selection
- Protection against overload, overcurrent, overheating

◆ 2.5" HDD enclosure USB2.0 to IDE



ICASEIDE251TY

2.5" HDD enclosure USB2.0 to IDE

- Support 2.5" (6.35cm) IDE HDD with max transfer rate 480Mbps
- How Swap and Plug and Play

◆ 2.5" HDD enclosure USB2.0 to SATA



ICASESU25WN

2.5" HDD enclosure USB2.0 to SATA (9,5 mm)

- Support HDD SATA I/II
- Max transfer rate 480Mbps
- How Swap and Plug and Play

ICASESU25TY

2.5" HDD enclosure USB2.0 to SATA (12,5 mm) with rubber body

◆ Mounting kits for HDD



ICAFF3143

Mounting kits for 2.5" HDD on 3.5" accommodation

- Brackets HDD Adapter for 2.5" HDD on 3.5" accommodation / SSD 8.89 cm
- With this kit you can install up to two 2.5" HDD in a 3.5" slot
- Included in the package fixing material
- Color: Grey

◆ 2.5/3.5" HDD enclosure USB3.0 to SATA



ICASESU325B

2.5" HDD enclosure USB3.0 to SATA (9,5 mm)

ICASESU325TY

2.5" HDD enclosure USB3.0 to SATA (12,5 mm) with rubber body

- Support SSD (only model SU3-25B) and HDD SATA I/II/III
- Max transfer rate 5Gbps
- How Swap and Plug and Play



ICASESU335

3.5" HDD enclosure USB 3.0 to SATA

- Support HDD SATA I/II/III with max dimension of 4TB
- Max transfer rate 5Gbps
- How Swap and Plug and Play

◆ Docking station USB 3.0 to SATA 2.5"/3.5"



ICASESATATST42

Docking station USB 3.0 to SATA 2.5 "/3.5"

- Provides fast data access, allows to create a portable archive and simplifies the backup of the hard-disk and data transfers
- A cloning key allows you to duplicate a HDD with PC / notebook unplugged
- Dual insertion slot for hard drives SATA I / II / III 3.5 "and up to 6TB SATA I / II / III 2.5" up to 2TB
- LED indicators for data transfer and power on / off
- Plug and play

◆ USB 3.0 to SATA adapter



IUSB3SATA2

USB 3.0 to SATA Adapter

- Compatible with SATA 1.5/3G specification and USB3.0/2.0/1.1 specification
- Transfer rate up to 3Gbps
- Support 2.5" SATA I/II/III hard disk



IUSB3SATA6G

USB 3.0 to SATA 6G Adapter

- Compliant with SATA specification rev. 3.0 with bus bandwidth up to 6 Gbps
- Allow you to connect SATA I/II/III hard disk both 2.5" and 3.5"
- Compatible with USB3.0 with transfer rate up to 5 Gbps
- With OTB function
- Support Plug and Play and Hot-Plug function

◆ 3.5" SATA HDD rack



ICAFF335

3.5" SATA HDD Rack

- Hot Swap capable and tool free hard disk installation
- Device holds single 3.5" SATA drive and fits any standard 5.25" device bay
- Support SATA II data transfer up to 3GB/sec

◆ HDD protection box

HD 35B



HD 35FC5



ICAHD35B

Protection box for one 3.5" HDD

ICAHD35FC5

3.5" HDD Protection cabinet for 5 HDDs

ICAHD35FC10

3.5" HDD Protection cabinet for 10 HDDs

- For storing and transporting your hard drives
- Protects the hard drive from dust and water
- Suitable for all 3.5" hard drives

◆ 300N wireless repeater router



IWLREPEATER2

300N wireless repeater router

- Standard: IEEE 802.11b / g / n, IEEE 802.3, IEEE 802.3u
- Supports Router, Client, Bridge, Repeater (Range extender), AP mode
- Provides 1-port 10 / 100Mbps Auto-Negotiation Ethernet WAN
- QoS assures the quality of VoIP and multimedia stream
- Supports SSID broadcast control, WMM and WMM-APSD
- Supports 64/128/152-bit WEP, in accordance with 128-bit WPA (TKIP / AES)

◆ Mini router WIFI repeater 750Mbps dual band



IWLREPEATER5

Wi-Fi router/repeater 750Mbps

- Increase the Wi-Fi signal and eliminates any dead point
- With WPS button
- Supports WMM (IEEE 802.11e QoS standard) prioritizing bandwidth for multimedia applications
- Supports WEP (64/128 bit), WPA and WPA2
- Can also be used as a wireless access point or wireless router standard

◆ 300N wireless repeater with WPS



IWLREPEATER

300N wireless repeater with WPS

- Compact design with installation on the wall outlet
- Supports all WIFI networks to extend its scope
- Complies with IEEE 802.11n, IEEE 802.11g (54Mbit / s), IEEE 802.11b (11Mbit / s)
- Supports repeater mode and AP mode
- Includes Ethernet port 10 / 100Mbps Auto-negotiation
- Supports firewall functionality natively IP, MAC, URL Filtering with full configuration control through web interface
- Support: WMM and WMM-APSD
- Supports speeds up to 300 Mbps transmission
- Support WDS with WEP, TKIP and AES encryption
- Supports WEP 64/128/152-bit, 128-compliant bit WPA (TKIP / AES)

◆ 150N wireless repeater



IWLREPEATER6

150N wireless repeater

- Increase the Wi-Fi signal and eliminates any dead point, ideal for use with smartphones, tablets and any wireless device
- Work with the existing wireless home network
- The button for Wi-Fi Protected Setup (WPS) simplifies secure connectivity to the wireless network
- Supports WMM (IEEE 802.11e QoS standard) prioritizing bandwidth for multimedia applications
- Supports WEP (64/128 bit), WPA and WPA2
- Can also be used as a standard access point

◆ Desktop fast ethernet switch



ISWHUB050TY

5-Port fast ethernet switch, plastic



ISWHUB080TY

8-Port fast ethernet switch, plastic

- 5-port / 8-port Fast Ethernet switch expands your network in an instant
- Easy plug-and-play installation - simply power it up and start using it
- Compatible with all Windows and Macintosh systems

◆ Universal switching adaptor



IPWNTS600G

Switching adaptor 600mA, 7,2W

IPWNTS1000G

Switching adaptor 1000mA, 12W



IPWNTS1500G

Switching adaptor 1500mA, 18W

IPWNTS2250G

Switching adaptor 2250mA, 27W

- Input voltage 100-240 VAC
- Output voltage selectable from 3 / 4.5 / 5/6 / 7.5 / 9/12 Vdc.
- AC plug: European type
- Version stabilized
- 7 interchangeable connector tips
- Protection against overload, over-current, over temperature

◆ Networking tooling kit



ICTK55NET

Networking tooling kit 55 pcs

- Includes: 3 Claws magnetic retrievers, chip puller, long nose pliers 5", diagonal cutting pliers 4 1/2", Jacks manual reversible, 10 assorted tips, set of 5 outlets, bracelet wrist strap and shock absorption, cable Tester LAN, burster with blade network cables, box for storage, Jumpers / Washers / Screws (2 types), split ends SL3 and PH1; SL1.6 and PH009, Set of Allen keys, durable Carrying Case

◆ Cable ties



ISWT10025BK

Cable ties 100x2,5mm black 100pcs

ISWT14235BK

Cable ties 140x3,5mm black 100pcs

ISWT29235BK

Cable ties 292x3,5mm black 100pcs

ISWT959

Marker cable ties 100x2,5mm 100pcs

- Working: electrical system, wiring, control panels
- Material: Nylon 6.6, flame resistance UL94V-2, application temperature -40°C to +85°C

◆ Precision screwdriver set 32 pieces



ITOOL6010

Precision screwdriver set 32 pieces

- Included tips: SL1.0, SL1.5, SL2.0, SL2.5, SL3.0, SL3.5, SL4.0 mm; PH000, PH00, PH0, PH1, PZ0, PZ1; T4, T5, T6, T7, T8, T9, T10, T15, T20; H0.7, H0.9, H1.3, H1.5, H2.0, H2.5, H3.0, H4.0 mm; Tip Extension and ergonomic handle screwdriver

◆ 6 screwdrivers set



ITOOL711

6 screwdrivers set

- Set includes following screwdrivers: SL2.4 x 25mm; SL1.8 x 25mm; SL1.4 x 25mm; PH00 x 25mm; PH0 x 25mm; PH1 x 25mm

◆ PC tool kit 58 pcs



ICTK58TLY

PC tool kit 58 pcs

- Designed specifically for computer repairing, all tools are fully demagnetized to protect your computer's hard disk and magnetic media from damage
- Main tools included: 6 precision screwdrivers, Wire Stripper, Brush, Pliers, bracelet wrist strap and shock absorption, Set of 5 sockets, Set of Allen keys, 17 tips with 1 socket adapter bits

◆ PC tool kit 43 pcs



ICTK43TLY

PC tool kit 43 pcs

- Main tools included: Wire Stripper, Chip puller, Pliers, Tweezers, Bracelet wrist strap and shock absorption, Set of 5 outlets, Set of 9 allen keys, 10 tips with socket adapter bits

Wireless Doorbell with Remote Control

Coverage range up to 300 m

Techly® makes life easier!

Practical, functional, easy to install wireless Doorbell with Remote Control. Consists of a transmitter and a receiver. It can be used where considerable distances between the two units need to be covered, for example: between office and warehouse space, in private homes, reception and commercial areas. It has 52 different ringtones and 4 volume adjustments.

◆ Wireless doorbell



IBELLRING01

Wireless Doorbell

- Reaches 300 m wireless distance in an open environment
- 52 classic melodies and 4 level volume adjustments
- Plug and play installation
- Kit with transmitter and receiver

◆ Wireless PIR motion sensor



IBELLRINGPIR

Wireless pir motion sensor

- Motion sensor detector that triggers the doorbell main unit (sold separately); alerting when someone approaches the door or driveway, alerts when a window or door is opened, alerts when a perimeter is breached
- Motion sensor range area is about 4 meters at an angle of 110 degrees; operating range over 100 m between sensor and receiver unit (sold separately)

◆ Wireless doorbell with lithium battery



IBELLRING02

Wireless Doorbell Flash and Music with lithium battery

- Reaches 300m wireless distance in an open environment
- Receiver with lithium battery built-in
- 52 melodies and 4 level volume; Plug and play
- Kit with transmitter and receiver (up to 52 additional remote control)

IBELLRMT01

Additional remote control

◆ Wireless doorbell with vibration



IBELLRING03

Wireless Doorbell with vibration

- Reaches 300m wireless distance in an open environment
- 52 melodies and 4 level volume; Plug and play installation
- Kit with transmitter and receiver with belt clip included
- Up to a maximum of 52 additional remote controls

IBELLRMT01

Additional remote control



◆ High Power alkaline batteries

LR06-B12T



LR06-B24T



IBTKALLR03T

AAA LR03 4pcs/blister

IBTKALLR03B12T

AAA LR03 12pcs/blister

IBTKALLR03B24T

AAA LR03 24pcs/blister

IBTKALLR06T

AA LR06 4pcs/blister

IBTKALLR06B2T

AA LR06 2pcs/blister

IBTKALLR06B12T

AA LR06 12pcs/blister

IBTKALLR06B24T

AA LR06 24pcs/blister

IBTKALLR14T

C LR14 2 pcs/blister

IBTKALLR20T

D LR20 2 pcs/blister

IBTKALLR61T

9V LR61 1pc/blister

◆ Charger for 2-4 AA batteries / AA NI-CD / NI-MH



IBTKCR78284

Charger for 2-4 AA batteries / AAA NI-CD / NI-MH

- Plug-in Charger for Ni-Cd / Ni-MH
- Allows charging 2-4 AA batteries (AA) or AAA (AAA)
- With LED charging indicator

◆ Universal tester



IBTTESTER3

Universal tester

- Universal tester with LCD for batteries
- Easy to use, lightweight and compact
- Gives an accurate battery status for following batteries:
 - CR123A / CR2 / CR-V3 / 2CR5 / CR-P2
 - AAA, AA, C, D, 9V
 - Button batteries

◆ Button lithium batteries



IBTKCR2032

Lithium batteries CR 2032 5pcs/blister

IBTKCR2016

Lithium batteries CR 2016 5pcs/blister

IBTKCR2025

Lithium batteries CR 2025 5pcs/blister

◆ Cleaning product



LCD100



LCD200



IASLCD060

Kit with 60ml cleaning solution

IASLCD100

Kit with 100ml cleaning solution

IASLCD200

Kit with 200ml cleaning solution

ICACDDVD

Laser lens cleaner for dvd recorder and cd player

- Cleaning kits ideal for cleaning Camera Lenses, Screens, Phones and Discs
- Kit includes: cleaning solution and micro fiber cloth (20 x 19 cm), brush (only models IAS-LCD60 and IAS-LCD200)

◆ Magnetic whiteboard



ICAWH103

Whiteboard 60x90 cm

ICAWH104

Whiteboard 90x120 cm

ICAWH106

Whiteboard 90x180 cm

ICAWH108

Whiteboard 120x180 cm

- Magnetic whiteboard, writable with marker and erasable with dry cloth or board eraser
- The magnetic surface allows to attach memos, notes and communications with magnets
- Landscape or portrait orientation

◆ Whiteboard accessories



DZ KIT1



DZ KIT2



MAG 30MIX

ICADZKIT1

Kit with 2 markers (black/red)

ICADZKIT2

Kit with 4 markers (black/red/green/blue)

ICADZKIT3

Kit with 2 markers (black/red) and eraser

ICAMAG30MIX

Kit with 10pcs button magnet

◆ Cork board



ICACB4560

Cork board 45x60 cm

ICACB6090

Cork board 60x90 cm

ICACB90120

Cork board 90x120 cm

ICACBPIN

20 Colored pins for cork boards

- Board of cork with aluminum frame
- Edges finished in ABS plastic
- For use with pins
- Supplied with movable hooks to hang it on the wall
- Landscape or portrait orientation

◆ PC desktop glossy black with wheels



ICATB7800BK

PC desktop glossy black with wheels

- Desk made in MDF with glossy black finish and metal frame
- Pull-out keyboard shelf, shelf for printer and CPU, with 4 wheels for easy moving
- Dimensions: (WxDxH) 80x69x135cm
- Easy to assemble

◆ Compact computer desk



ICATB3365W

Modern computer desk

- White MDF board with glossy white finish and metal frame, with 2 practical drawers
- Large work surface offers plenty of storage space and allows you to keep everything always at hand (130x60 cm)
- Dimension: (WxDxH) 130x60x76 cm

◆ Compact computer desk



ICATBS005

Compact computer desk

- Computer desk ideal for notebooks or small computer
- Pull-out shelf for the keyboard (size 48x 30 cm), keep the work area free on the main shelf (dimensions 60x45 cm)
- The lower part of the desk is equipped with a spacious shelf (dimensions 50x32 cm) to support CPU, printer, or other devices that complement the workplace
- MDF panels in beech color
- Overall dimensions: (WxDxH) 60x40x75 cm

◆ PC desktop graphite



ICATB328BK

PC desktop graphite

- Ergonomic design with simple and neat appearance
- Metal frame guarantees stability
- Slide-out keyboard shelf for both keyboard and mouse
- Easy to assemble
- Construction: MDF panel in graphite color and metal frame
- Desk dimensions: (WxDxH) 70x55x76 cm

◆ PC desktop with tempered glass top



ICATB3791A

PC desktop with tempered glass top

- Computer desk with main shelf in frosted glass 8mm and other shelves in MDF
- Pull-out shelf for keyboard
- With lower shelf which holds CPUs, printers and other devices
- Equipped with wheels for easy movement
- Dimensions: (WxDxH) 80x60x75 cm

◆ File cabinet



ICAFC09

File cabinet beech finish



ICAFC09BK

File cabinet graphite black finish

- File cabinet with 3 drawers (2 standard + 1 with big dimension)
- Equipped with wheels for stability and easy movement
- Body in stable MDF with a scratch resistant surface is easy to clean
- Dimensions: (WxDxH) 40x44x65 cm

◆ Computer desk L-shape design



ICATB212

Computer desk l-shape design

- Large corner desk for PC L-shaped and versatile design due reversible mounting
- With pull-out keyboard tray
- Metal frame silver color and MDF panels beech finish
- Dimensions: (WxDxH) 173x138x75 cm; color beech

◆ Mobile computer desk with wheels



ICATB218

Mobile computer desk with wheels

- Extremely mobile thanks to its 4 easy-moving wheels
- Divided into 4 sections to support PC, Monitor and accessories
- Made in MDF with beech finish and metal profiles
- Dimensions: (WxDxH) 70x51x81 cm

◆ Computer desk black glass



ICATB349

Computer desk - black

- Made from mdf, color: black
- With pull out keyboard shelf
- Metal frame
- Dimensions: (WxDxH) 120x60x75.5 cm

◆ Computer desk black design



ICATB3352B

Computer desk - black with glass top

- Desktop with main shelf with black glass and metal frame
- With pull out keyboard shelf
- With 1 shelf in MDF for accessories and with CPU holder with wheels included
- Dimensions: (WxDxH) 120x60x88 cm

◆ Computer desk corner design



ICATB1010

Computer desk - corner - beech



ICATB1010BK

Computer desk - corner - black

- Material: MDF
- Colour: black (1010BK) beech (1010)
- Aluminium frame, colour: silver
- Pull-out Keyboard shelf included
- Shelf for PC included
- Dimensions: (WxDxH) 113x65x158 cm

◆ Corner computer desk



ICATB3806A

Corner computer desk

- Elegant desk with a large work area, ideal for the office; solid MDF panels with cherry finish and silver metal structure
- With corner shelf to store boxes or other items to keep on hand
- Convenient pull-out shelf for the keyboard
- With support for cpu
- Large work x 170x145 cm
- Dimensions: (WxDxH) 170x145x87 cm

◆ Office chair



MC04BLU



T046BK

ICACTMC04BLU

Office chair Blue

ICACTMC04GY

Office chair Grey

ICACTMC04RE

Office chair Red

ICACTT046BK

Office chair Black with mesh backrest

- Chair for office desk with polyurethane armrests
- Adjustable backrest that provides ideal lumbar support
- Pneumatic height adjustment with a range of 12 cm

◆ Directional armchair



ICACTES107

Directional chrome armchair



ICACT892

Directional armchair with padded armrests

- Stylish and comfortable executive chair in black
- Ideally positioned Backrest that provides lumbar support
- Pneumatic height adjustment with a range of 6.5 cm
- Adjust the angle of the backrest

◆ Footrest



ICAFR13

Footrest

- Economically designed for comfort and support
- Prevents back and leg discomfort by ensuring the correct posture is adopted
- Massage bumps for stress relief and regenerating tired feet
- Non-slip feet for more stability

◆ CPU holder



ICACS34

CPU steel holder with wheels, black color

- CPU stand with 4 wheels, 2 of which are equipped with safety lock
- Adjustable width: 164 to 247 mm
- Supported Weight: 25 kg



Infodep

gregory.winkowski@infodep.be
www.infodep.be
Tel :0495/585243

Rue de la grande veine, 143
7370 Elouges